



FLOATING DOCK AND LIFT SYSTEMS



www.ez-dock.com
(800) 654-8168

The First Dock of Its Kind.



EZ Dock, Incorporated is not associated with General Motors Corporation and General Motors Corporation did not participate in the above demonstration.

WARNING: EZ Dock, Inc. performed the depicted maneuver to demonstrate its product's buoyancy and weight capacity. EZ Dock does not suggest that its products be used as a form of flotation for automobiles, and specifically advises that automobiles should not be driven onto its docks.

We floated this state-of-the-art vehicle on our state-of-the-art dock to make a point about our unique line of products: Like the 7,000-pound cargo shown here, our docks, boat lifts, and PWC lifts are

The Last Dock You'll Ever Need.

strong, attractive, and can remain in great condition for many years to come. With virtually unlimited design possibilities and the ability to withstand almost any aquatic environment, EZ Dock is the perfect fit for your needs. Our polyethylene construction provides outstanding load capacity, functionality, and safety, with a complete selection of docks, lifts, anchoring systems, and accessories to customize the system to suit almost any application.

Dock Applications

The Right Dock For A Host Of Applications.

The EZ Dock system is as varied and versatile as the waterways to which it provides access. From commercial functions to personal recreation uses, our modular designs and easy-to-use storage and launching components allow you to create the ideal dock for your needs and environment. Marinas, walkways, residential docks—all of these and much more can easily be designed with the help of your EZ Dock Consultant. Plus, your EZ Dock can be reconfigured should your requirements change. It's a one-of-a-kind system with virtually unlimited potential.

MARINA



EZ Dock's modular versatility makes it ideal for most marinas. Layouts can be adjusted as your needs change.

BOAT LAUNCH



Protect your boat and provide ease of access at launch with our modular system that allows you to tie off with EZ Dock cleats.

PWC RENTAL



Personal watercraft are displayed with maximum "curb" appeal on EZ Dock's attractive, accessible PWC lifts.

NATURE WALKWAYS



The attraction of lakes, streams, and other wetlands is made safer and more accessible with a nature walkway from EZ Dock.

SWIMMING PLATFORM



Create any configuration of platform for swimming or relaxing with EZ Dock's totally modular design capabilities.

FISHING PIER



Rails add security and peace of mind for anglers taking advantage of EZ Dock's convenient, comfortable layouts.

RESIDENTIAL



Low maintenance and long-term durability make EZ Dock the attractive option for boats that are docked at home.

CONDO/HOMEOWNERS ASSOCIATION



EZ Dock offers good looks and great value—an unbeatable combination for shared applications.

GOVERNMENT



Ease of use in a variety of applications, from boat and PWC storage to overall maintenance, makes EZ Dock's line of docks invaluable to government operations.

CAMPS



The EZ Dock system's modular design offers super versatility for multi-purpose docks, with railing options for safety and accessibility.

Dock Sections

Our Docks Are Cool In More Ways Than One.

The rotomolded polyethylene composition in our exclusive EZ Dock beige color makes our docks more attractive to look at and cooler to the touch than darker-colored docks—an especially important consideration on hot summer days. And EZ Dock's patented one-piece, self-floating design is fast and easy to install. You choose the configuration that suits your application.



Features & Benefits:

- Low maintenance
- Beige color
- Variety of anchoring options
- Convenient accessories
- Versatile modular design
- Secure connection couplers
- Strength and flexibility
- Safe, slip-resistant surface
- Four-season accessibility



U.S. Patent # 5,281,055

A view of the bottom and inside of an EZ Dock section reveals individual flotation chambers and an extra-heavy wall thickness that creates tremendous structural integrity. The need for foam fillings and the environmental concerns related to them are completely eliminated.



E.



Half-Hexagon Dock

EZ Dock adds even more layout versatility with our new half-hexagon dock option.



Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions.

U.S. Patent # 5,281,055

Part #: 301100



A. B. C. D.

SIZE	WEIGHT	FLOTATION CAPACITY	PART #
A. 40" x 5' x 15" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1000 lbs. 453.6 kg	204060
B. 40" x 10' x 15" 1m x 3.1m x 38cm	190 lbs. 86.2 kg	2000 lbs. 907.2 kg	204010
C. 60" x 10' x 15" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg	3000 lbs. 1360.8 kg	206010
D. 80" x 10' x 15" 2m x 3.1m x 38cm	375 lbs. 175 kg	4000 lbs. 1814.4 kg	208010
E. 60" x 10' x 15" 1.5m x 3.1m x 38cm	210 lbs. 95.3 kg	2000 lbs. 907.2 kg	260120

NOTE: Because of the rotomolding process, weights and dimensions may vary.

PWC Lifts

Make Docking And Launching Part Of The Fun!

EZ Port is the simple drive-on, push-off method of dry docking. No winching, cranking, pumping, or hoisting. Self-floating EZ Port moves with changing water levels and helps protect the craft from damage caused by wind or wave action. EZ Port is so simple to use, even beginning PWC operators will find boarding and launching a breeze. And, EZ Port is a one-piece unit, which can be used alone or with other docks, so installation requires just a few tools and very little time. The EZ Port dry-docking system is the fastest, simplest, and easiest to use.

Features and Benefits:

- Adjustable polyurethane Stoltz Super Rollers™
- Compatibility with most docks
- Conformity to most hull designs
- Convenient moorings
- Safety bulkhead
- Three-side accessibility
- Low maintenance
- Beige color



Quick, virtually effortless launching and boarding.





IDLE UP



EASE INTO THROTTLE



ROLL ABOARD



MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
A. EZ Port I	118" x 60" x 15"	230 lbs.	625 lbs.	206010PW
	3m x 1.5m x 38cm	104 kg	283.5 kg	
B. EZ Port II	127" x 60" x 15"	240 lbs.	800 lbs.	206011PW
	3.2m x 1.5m x 38cm	109 kg	363 kg	
C. EZ Port III	151" x 60" x 15"	280 lbs.	1300 lbs.	206013PW
	3.8m x 1.5m x 38cm	127 kg	590 kg	
D. Extension	20" x 60" x 15"	70 lbs.	100 lbs.	206010EX
	.5m x 1.5m x 38cm	27 kg	45 kg	

Supplemental flotation available for specific applications.
 *When attached to an EZ Dock product. U.S. Patent # 398,576

NOTE: Because of the rotomolding process, weights and dimensions may vary.



D.
 Extension available for EZ Ports I and II, allowing easy expansion for use with larger PWC's.



Boat Lifts

A Great Dock And Boat Lift, Too!


The EZ Port boat lift system can be used under conditions in which traditional lifts cannot. Because it floats, EZ Port can be used where water levels vary widely, where lake, river, and ocean bottoms are soft, or where access makes it difficult to install other types of lifts.

The EZ Port boat lift system is engineered for most fiberglass V-style hull boats. The multiple premium Stoltz adjustable rollers can accommodate boats with a 14° to 21° dead-rise angle. And eight different heights can be achieved by positioning the rollers in four possible configurations on two trays.

Docking is as simple as loading onto a roller bed trailer, and this unique docking option will keep your boat high and dry—free from impacts, floating debris, algae, and barnacles.

Features & Benefits:

- Adjustable polyurethane Stoltz Super Rollers™
- High-quality Fulton XLT Series winch
- Protective bow stop
- Modular intermediate section
- Sculpted stern section aids boarding
- Low maintenance
- Beige color
- Boat launching strap (for specific applications)



HOOK UP



WINCH ON



DOCKING COMPLETE

A. Winch/Bow Stop Section #204005FL

20" (50cm) Long, 40" (1m) Wide, 15" (38cm) High.

Section Weight: 45 lbs. (20 kg)

Winch: Fulton XLT series 1400 lb. (635 kg) winch, 20' (6.1m) strap, and hook.

B. Intermediate Roller Section #204020FL

20" (50cm) Long, 40" (1m) Wide, 15" (38cm) High.

Section Weight: 45 lbs. (20 kg)

Rollers: One adjustable roller.

C. Stern Roller Section #204670FL

60" (1.5m) Long, 40" (1m) / 70" (1.8m) Wide, 15" (38cm) High.

Section Weight: 150 lbs. (68 kg)

Rollers: Two adjustable rollers.
One fixed rear roller.

D. Example: Assembled Lift

3 - 40" (1m) x 10' (3m) x 15" (38cm) dock sections combined with the Bow Stop, Intermediate Roller, and Stern Roller Sections.

Maximum Boat Weight: 1500 lbs. (680 kg)

Overall Dock Dimensions: 13' (4m) x 10' (3m)

Boat Length: 12' (3.7m) - 14' (4.3m)


Additional flotation available for heavier boats.

For examples of boat lift configurations, see page 10.

Stern section adds 18" (46cm) to length of dock.

Because of the rotomolding process, weights and dimensions may vary.

Boat Lift Configurations



	Maximum Boat Weight	Dock Dimensions Length x Width
12' (3.7m) - 14' (4.3m) Boat Length		
A.	1500 lbs. (680 kg)	13' x 10' (4m x 3m)
B.	1600 lbs. (726 kg)	15' x 10' (4.6m x 3m)
C.	2100 lbs. (953 kg)	15' x 10' (4.6m x 3m)
14' (4.3m) - 17' (5.2m) Boat Length		
D.	2300 lbs. (1043 kg)	18' x 13' (5.5m x 4m)
16' (4.9m) - 18' (5.5m) Boat Length		
E.	1700 lbs. (771 kg)	18' x 10' (5.5m x 3m)
F.	1800 lbs. (816 kg)	20' x 10' (6m x 3m)
G.	2100 lbs. (953 kg)	20' x 20' (6m x 6m)
H.	2300 lbs. (1043 kg)	20' x 13' (6m x 4m)
I.	2600 lbs. (1179 kg)	20' x 16' (6m x 4.9m)
17' (5.2m) - 19' (5.8m) Boat Length		
J.	2500 lbs. (1134 kg)	20' x 13' (6m x 4m)
K.	2900 lbs. (1315 kg)	20' x 16' (6m x 4.9m)

Stern section adds 18" (46cm) to length of dock.



Air Actuated Lifts



The Perfect Lift For Your Investment.

The EZ Port lift by HydroHoist® is raising standards in the industry for functionality and durability. The framework utilizes 4" steel cross members with high-density polyethylene bushings, and a unique clamping system to ensure the lift will remain level after years of use. Our polyethylene tanks have a lifetime warranty and are designed for minimum draft in shallow water while keeping all steel components above water when the lift is in the raised position. The EZ Port provides all the support you need to help extend the life of your boat.

HEAVY-DUTY STEEL FRAMEWORK



The 4" steel framework is the heaviest in the industry, and torque managers will keep the lift level for years to come.

CONTROL UNIT



The powerful 11.7-amp blower and rapid-launch gate valve allow the pump to work quickly and efficiently.

POLYETHYLENE TANKS



The one-piece seamless polyethylene tanks are elliptically shaped to create minimum draft in shallow water.

Roof System



You'll Have It Made In The Shade!

Make your dock even more attractive during sunny weather with a roof system specially designed for compatibility with our modular docks. Not only will it provide shade in summer, the 26-gauge metal roof—available in a variety of colors—adds protection from the elements all year long, for boats, personal watercraft, and the people who use them.

SIDEWALL ATTACHMENT



Where your layout requires it, roof system posts may be attached using this versatile sidewall mounting option.

GALVANIZED STEEL FRAME



Our roof systems' galvanized steel structural members provide sturdy support and optimum use of sheltered space.

SUPPORT POST ATTACHMENT



Secure connection to your EZ Dock installation is easy with post attachments engineered for compatibility.

Anchoring

HEAVY-DUTY PIPE BRACKET
PART #: 120250 or 120350



Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

PIPE BRACKET
PART #: 130250 or 130350



Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.

ADAPTER HINGE
PART #: 100750 or 100750SS



Reversible hinge allows you to bolt EZ Port PWC lifts or EZ Dock sections to other types of floating docks.

DEADWEIGHT BRACKET (LARGE)
PART #: 120350 and 100725P



Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.

DEADWEIGHT WINCH INSERT
PART #: 120350 and 100730




Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

DEADWEIGHT BRACKET (SMALL)
PART #: 100740 or 100740SS



For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Chain sold separately.




Effective Anchoring For Any Water Condition.

Once your EZ Dock system is properly installed and anchored according to EZ Dock specifications, you're ready to enjoy your floating dock system. Our wide variety of anchoring components are simple to install and safe to use. Constructed of either polyethylene or steel—both of which are long-lasting, durable materials that can range from light to heavy duty—they provide a wide range of reliable options to construct a dock for nearly any use and waterscape.



Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.



Heavy-duty polyethylene bracket allows lateral position adjustment to attach to piles up to 18" (46cm) in diameter.




Mainframe piling bracket is pre-drilled for hoops from 4" (10cm) to 24" (61cm) wide. Includes connectors with nuts. Hoops sold separately.



Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.



Galvanized steel, mechanical-grade pipe provides economical anchoring in shallow water. Pipe and caps sold separately.



Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe from 2.5" (6cm) to 3.5" (9cm) O.D.



Accessories

DOCK BUMPER
PART #: 300180



The dock bumper is designed to protect the boat gunwales and rub-rails. Dock bumper will attach to dock using embedded T-nuts.

STORAGE BOX
PART #: 300750



Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

CORNER STORAGE BOX
PART #: 300755



Roomy storage in a compact design that makes the most of available space without interfering with foot traffic. Connection boxes for complete utility hookups through this box are available.

SWIM LADDER
PART #: 300260



One-piece polyethylene ladder is designed with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface offers maximum safety. U.S. Patent # 389,923

POLYETHYLENE BENCH HARDWARE KIT
PART #: 300970 or 300965 without arms



A complete hardware kit that allows construction of a durable polyethylene dock bench.

Bring The Water Park To The Water Front.

Our popular dock slide utilizes rugged, durable, polyvinyl-coated steps, and a one-piece polyethylene bedway for a smooth ride.

Install with almost any EZ Dock where water depth is more than 5 feet.



Dock Slide Part #: 300600

BOAT LAUNCH STRAP
PART #: 900070



Strap attaches through pulley to winch, reversing direction of pull to launch a boat with the same winch used for docking.

SUPPLEMENTAL FLOTATION
PART #: 206013FL



Attaches under dock sections and EZ Port lifts to increase the flotation capacity in specific applications.

DOCK EDGING
PART #: 400116



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

DOCK WHEELS
PART #: 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

COUPLER INSTALLATION KIT
PART #: 900010



Coupler installation tool simplifies in-water connection of dock sections.

SECURITY CURBING
PART #: 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

UTILITY CHANNEL
PART #: 302060 or 302060SS (60" Wide)
PART #: 302020 or 302020SS (20" Wide)




Two-piece chaseway attaches to side of dock sections, allowing conduit for utilities. Available in 60" or 20" wide sections, and with stainless-steel hardware option.

UTILITY CHANNEL INSIDE CORNER
PART #: 302030 or 302030SS



Utility conduit can be tucked neatly inside two-piece chaseway attached at junction of dock sections. Available with stainless-steel hardware.

UTILITY CHANNEL OUTSIDE CORNER
PART #: 302040 or 302040SS



Convenient for installations in which dock layout requires utility conduit to be installed around the outside corner of a dock section. Available with stainless-steel hardware.

CORNER GUSSET
PART #: 300500 or 300500SS



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.

TRANSITION KIT (POLYETHYLENE)
PART #: 100717 (15") or 100718 (30")



Hinged polyethylene plate creates a smooth transition between EZ Dock or EZ Port and another floating dock.

TIE-DOWN CLEATS
PART #: 300100




Tie-down cleats (8" [20cm]) and other accessories attach to heavy-duty stainless-steel T-nuts molded in pairs around dock section perimeters.

Access

GANGWAY (ALUMINUM)

PART #: 300310 to 500530



Gangway has welded construction with slip-resistant walkway, side curb, and rails. Lengths from 10'-30' (3m-9.1m), and widths of 3' (1m) and 5' (1.5m).

GANGPLANK MOUNTING KIT

PART #: 100240, 100340 or 100600



Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide. Lumber not included.

FLOAT HINGE BRACKET

PART #: 100650SS or 100850SS



Hinged bracket with hardware attaches gangway to dock. Available in 60" (1.5m) and 80" (2m) widths.

PLANK GANGWAY (POLYETHYLENE)

PART #: 200200



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.

TRANSITION PLATE

PART #: 300301, 400401 or 500501



Hinged aluminum plate with non-skid surface offers a safe and sturdy transition between shore grade and gangway.

GANGWAY ROLLER KIT

PART #: 300300, 300400 or 300500



Gangway roller kit allows end of gangway to adjust with changing water levels. Available for all gangway kits except plank gangway. PVC roller for 3' and 4' length; steel roller for 5' length.


Bring The Whole Gang.

Our new polyethylene gangway offers the same durability, stability, and modular versatility of our docks. It will last longer than wood, and its slip-resistant surface enhances safety. Available in 6' sections which can be combined to lengths of 12' and 18'. Railings are also available.


Polyethylene Gangway Part #: 400406




Railings




10' (3m) Width




5' (1.5m) Width




10' (3m) Width




10' (3m) Width




10' (3m) Width




5' (1.5m) Width




5' (1.5m) Width




5' (1.5m) Width




5' (1.5m) Width




80" (2m) Width



80" (2m) Width




40" (1m) Width



40" (1m) Width

*These styles are equipped with holders for fishing rods.

Our modular railing conforms with SOBA and ADA guidelines. Railing sections are available in a variety of lengths and profiles designed to provide security with minimal obstruction. Choose the standard hot-dipped galvanized finish, a powder-coated finish in one of four colors, or the newly added option of stainless steel.



Available in four powder-coated colors:



Sand Royal Blue Brown Forest Green

New!



Stainless Steel



www.ez-dock.com • 1-800-654-8168
International Inquiries: 417-235-2223

A division of  PlayPower, Inc.

EZ Dock is a member of the PlayPower family of companies, which also includes Miracle Recreation Equipment Company, Soft Play, L.L.C., and HAGS. For more information on our complete park and recreational products and services, visit us at www.playpower.com.

Other divisions of PlayPower, Inc.:



One of the oldest and largest manufacturers of commercial playground equipment in the United States.

1-800-523-4202
www.miracle-recreation.com



The largest supplier of soft contained play equipment in the world.

1-800-782-PLAY (7529)
www.softplay.com

HAGS

A leading manufacturer of commercial outdoor playground equipment in Europe.

1-866-KIDS-PLAY (543-7752)
www.hags.com



EZ Dock is certified to ISO-9001, documenting the complete quality control systems that support our commitment to your satisfaction.